



## SIMPLE BOX

Installation and operating instructions

---

**The producer:**  
[www.kratki.com](http://www.kratki.com)  
Kratki.pl Marek Bal  
ul. W. Gombrowicza 4  
26-660 Wsola/Jedlińsk



[www.nierobdymu.com](http://www.nierobdymu.com), [fb/nierobdymu](https://fb/nierobdymu)



**EAC**

**For the INSTALLER:** Leave the manual with the device.

**CONSUMER:** Keep this manual for future reference.



# NOTE

**THE SURFACES OF THE APPLIANCE AND THE BODY CAN GET HOT AND CAUSE BURNS**

**DO NOT TOUCH ANY WORKING SURFACES OF THE DEVICE BEFORE IT HAS COOLED DOWN.**

**NEVER LEAVE CHILDREN OR OTHER PERSONS REQUIRING ATTENTION NEAR A WORKING DEVICE.**

**NOTE!**

THE DEVICE IS HOT! THE COMPONENTS CAN ALSO BECOME HOT!

BURNS MAY OCCUR AS A RESULT OF CONTACT WITH HOT SURFACES OF THE DEVICE. CHILDREN, ELDERLY PEOPLE (OR OTHER PERSONS IN NEED OF CARE), ANIMALS, CLOTHING, FLAMMABLE FURNITURE, OR ANY FUEL OR OTHER COMBUSTIBLE MATERIAL SHOULD BE KEPT AWAY FROM THE APPLIANCE.

REMEMBER TO TAKE CARE OF THE MAINTENANCE OF THE DEVICE ACCORDING TO THE RECOMMENDATIONS OF THIS INSTRUCTIONS!

**Read the manual to the end and make it available to any possible user of the device before operating, installing or dismantling it.**

**Thank you for trusting us and choosing our SIMPLE BOX. This device was designed with your safety and comfort in mind. We are confident that you will be satisfied with your choice due to the commitment we have put into the design and production of this device. Before installation and use, please read this manual carefully. If you have any questions or concerns, please contact our technical department. Any additional information is available on our website [www.kratki.com](http://www.kratki.com).**

Kratki.pl Marek Bal is a well-known and valued manufacturer of heating devices both on the Polish and European market. Our products are made on the basis of restrictive standards. Each garden heater manufactured by the company is subject to factory quality control, during which it undergoes rigorous safety tests. Use of materials in production

The highest quality guarantees the end user a smooth and reliable operation of the device. This manual contains all information necessary for the proper connection, operation and maintenance of the SIMPLE BOX.

## INSTALLATION DIMENSIONS




Figure 1: A dimensioned installation drawing of the SIMPLE BOX in BSP version




Figure 2: A dimensioned installation drawing of the SIMPLE BOX in BSL version

## INSTALLATION

**NOTE: FAILURE TO FOLLOW THE INSTRUCTIONS IN THIS MANUAL WITH RESPECT TO INSTALLATION, OPERATION, OR FAILURE TO FOLLOW THE INSTRUCTIONS FOR PERMITTED PARTS AND ACCESSORIES FOR THIS DEVICE MAY RESULT IN SERIOUS INJURY OR DAMAGE TO PROPERTY.**

**EACH BUILT-IN MODEL IS A DEDICATED MODEL, THAT IS TO SAY, IT IS DESIGNED FOR INTUITIVE AND QUICK INSTALLATION ONLY OF THE FIREPLACE MODEL THAT IS SOLD WITH THE BUILT-IN MODEL.**

**IT IS FORBIDDEN TO INSTALL A FIREPLACE MODEL OTHER THAN THE DEDICATED ONE IN A DEDICATED FIREPLACE BODY.**

THE HOUSING IS DESIGNED FOR INTUITIVE INSTALLATION AT LOW COST AND EFFORT.

HOWEVER, THE INSTALLATION MUST BE CARRIED OUT BY A MINIMUM OF 2 PHYSICALLY FIT PERSONS, DUE TO THE NEED TO HANDLE ELEMENTS OF SIGNIFICANT SIZE AND WEIGHT.

## BACKGROUND INFORMATION

### **IMPORTANT: KEEP THIS MANUAL!**

It is important to check periodically the integrity and stiffness of the structure itself as well as of the individual building elements and structural elements for any damage. It should be remembered that every built-in device is subject to periodic chimney sweep. Any possible inspection or service of the appliance may only be performed by a qualified chimney sweep/ serviceman with appropriate qualifications. Failure to observe these rules may result in serious damage to health, damage to property and even death.

Installation and use must be carried out in accordance with the applicable national building regulations. Your authorised dealer can help you determine what safety measures to take when installing or using the appliance. In some cases, it may be necessary to obtain a permit to install or operate such an appliance regardless of the installation scheme of the building and the appliance itself. Always consult your authorized dealer or building inspector to determine what regulations apply to the use and/or installation of the appliance in your area. In the absence of regulations governing installation and use, it is essential that you follow the instructions and the fire safety code.

Do not start up the unit if any of its components have been previously disassembled, damaged or destroyed. Before reuse, it is essential to replace the missing or damaged part with an original replacement indicated by the manufacturer.

**SAFETY INFORMATION**

Due to the possibility of high temperatures, especially on the device's panes, all flammable materials should be located at a safe distance from the device, including its built-in elements. Children, elderly people and others should be informed and warned of the possibility of high temperatures on the appliance during and immediately after its operation and should avoid contact with the appliance to prevent burns and ignition of clothing.

**NOTE:** All surfaces of the device and dedicated installation of the SIMPLE BOX, especially in the version with steel panels, should be treated as working surfaces! This means that during operation of the device, all visible elements of the device and its housing can reach very high temperatures, so it is DANGEROUS to touch any visible surface of the device and its housing during operation and until it cools down.

**NOTE:** The device and visible components can be very hot even for several hours after it has been extinguished. All activities related to fuel replenishment or ash removal should be performed with heat-resistant gloves!

Young children, infants, infirm persons and other persons requiring special attention in the space of the device should be under special surveillance. These persons may be particularly vulnerable to accidental contact with the device. If necessary, the use of safety barriers should be considered to restrict access to the equipment.

Do not hit or lean on any part of the device.

**NOTE:** No part of the device may be replaced other than those provided by the manufacturer or recommended by him.

**It is DEFINITELY DEFINITELY to use any liquid, gaseous or other flammable materials to ignite the appliance!**

To avoid accidents, it is not recommended to allow people unfamiliar with the use of the device. For safety reasons, always use gloves and goggles for maintenance work.

**LEMONS OF THE SET - FIRST UNPACKING OF THE PURCHASED HEATER**

If you notice any damage or missing items during the shipment inspection, please contact your authorized dealer.

If you notice any damage or missing items during the shipment inspection, please contact your authorized dealer.

- Complete, ready to use fireplace.
- Fireplace base with adjustable feet.
- Complete self-assembly with fasteners. - Instructions for installation and use.

## INSTALLATION - INTRODUCTION

### NOTES ON THE MOVEMENT OF THE DEVICE:

This device has been designed for easy installation and assembly with the possibility to place it practically in any place, i.e. anywhere where the chimney can be brought out in accordance with the installation requirements of the fireplace manual and the building law.

**WARNING: DO NOT TRY TO MOVE THE DEVICE DURING OPERATION!**

### INSTALLATION RULES

The installation should be carried out in accordance with the requirements of the law in force in the country or region concerned. In the absence of such regulations, the rules contained in this manual and fire safety rules should be followed.

This appliance has been tested for quality and safety and has been certified by a notified testing institute, and the housing has only been tested for strength and safety with this appliance!

### FASTENERS


The following fasteners are included:

Hexagon nut with tapered flange M6 DIN 6923	26		Hexagon head screw M6x12 DIN 933 / ISO 4017 / 82105	26	
Mushroom screw M4x6 ISO 7380	4		Complete footer	4	
Mushroom head screw M5x10~ ISO 7380	51				


## INSTALLATION

The device should be assembled according to the diagram below. Skipping any step during installation may result in damage to the device during operation or even in dangerous situations that may endanger the health of the device users.


**Step 1:** First of all, screw the rear legs of the substructure as shown in the diagram below, turning them into M6 bolts and nuts at the points indicated. Also, screw in the supplied adjustable feet for subsequent levelling of the entire structure.



**Step 2:** Following the steps of step 1, screw the front legs of the superstructure in accordance with the diagram below.




**Step 3:** Install the back panel, as shown in the diagram below, using the hooks on the panel and inserting it into the notches in the substructure frame.




**Step 3.2 (Inlet option)** If an air intake is connected, the fireplace must then be placed on a dedicated base, first placing the base as close as possible to where the unit will eventually be placed, leaving at least 0.5 m of free space on either side of the unit for the free installation of the installation elements. The fireplace must be placed on the structure on the bases marked below, install the lower installation panels according to the diagram in steps 4 and 5, and then remove the bases.

For the BSL version, position the L-marked fireplaces forwards, for the BSP version, position the P-marked fireplaces forwards.

If this is not an inlet option, proceed to the next step.




**Step 4:** In the next step, install the side panel according to the diagram below, inserting it using the hooks in the notches in the substructure. Use the M5 screws in the diagram below to level the side panels in the first case. The M5 bolt used to fix the hook should only be partially screwed in, leaving room for the hook as shown in the diagram in steps 10 and 11.




**Step 5:** Then install the opposite side panel, similar to the instructions in Step 4.


1x screw M5x10 - fixing  
the starter




**Step 6** As shown in the diagram below, mount the front-bottom panel by inserting it using the hooks in the notches in the side-bottom panels




**Step 7:** If you have not installed the inlet, this means that the unit is not yet installed on the substructure, so in the next step place the unit on the substructure as shown in the diagram below.




**Step 8:** Mount the frame of the upper part of the superstructure as shown in the diagram below. The diagram also shows that the side and front panels should extend 2 mm beyond the flange of the fireplace frame.




**Step 9:** Install the top panel as shown in the diagram below by screwing it to the superstructure.





**Step 10:** Insert the side panel by inserting it into the notches in the substructure, using the hooks that must be fastened after inserting it according to the diagram below. Before installation, screw the hooks as shown in the diagram below and screw the hook screws to the top of the side panel by only partially screwing it in (a few coils of thread) to leave room for the hook of the top panel.




**Step 11.** Similar to step 10, install the smaller side panel on the opposite side of the superstructure.




**Step 12:** Prepare the smaller front panel before installing it on the building structure, as shown in the diagram below. Depending on the BSL or BSP version, screw in the appropriate hangers according to the schemes below.




**Step 13:** Install the smaller front panel by sliding it into the notches in the side panel and substructure as shown in the diagram below.



**Step 14:** Prepare the two double side panels for installation as shown in the diagram below. Both panels will be in mirror image - the number of hooks at the bottom of both panels differs for the BSL and BSP versions of the unit (see drawings below). The upper fastening screws should also be screwed only partially (a few threaded coils), as was the case in the lower panels, so as to leave room for mounting the upper frame, the supporting structure of the installation.





**Left panel in the BSL version**




**Left panel in the BSP version**


**Step 15:** Install side panels, top panels as shown in the diagram below.





**Step 16.** Prepare the double front panel, top panel as shown in the diagram below.




**Step 17:** Install the front cover plate as shown in the following figure by inserting it into the recesses in the side panels using the hooks.




**Step 18:** Install the top frame of the superstructure as shown in the diagram below. Screw the frame to each panel so that the whole structure is adequately stiffened.



**Step 19:** Install the top cover plate by screwing it to the previously installed frame of the substructure, as shown in the diagram below.



Ready to install with the unit



**SELECTION OF THE LOCATION OF THE DEVICE IN A DEDICATED BUILDING.**

The choice of the place of installation of the device in a dedicated installation SIMPLE EASY BOX should be dictated by the location of the chimney to which it will be connected. Dedicated installation gives you several possibilities of chimney exit depending on the conditions created by the existing chimney installation, or depending on the way of chimney exit will be finally selected.

**CONNECT THE DEVICE TO THE CHIMNEY INSTALLATION.**

The connection of the fireplace to the chimney installation should respect the local construction law and the guidelines contained in the manual of the device itself, for which the SIMPLE BOX is only an accessory. If there are no local guidelines for the installation of the appliance and its chimney installation, follow the instructions for the appliance and its connection included with the purchased fireplace.

**MAINTENANCE****WARNING!!!!**

All maintenance work should be carried out on a cooled down unit at least 12 hours after it has been extinguished.

**ATTENTION!!!!**

Maintenance of the device may only be performed by a qualified service technician. It should also be remembered that each heating appliance requires chimney sweeps in accordance with the guidelines of the local building code, but at least once a year.

- The device should be periodically inspected at least once a year.
- Cleaning should take place regularly or as excess ash emerges.
- No changes may be made to the design of the unit.
- The device should not be cleaned with corrosive agents.
- When replacing individual components, use only original parts available from the manufacturer.



**SELLER**

Name:	Seller's seal and signature;
Address:	
Tel/fax:	
Date of sale:	

**INSERT BUYER**

<p>The fireplace insert should be installed in accordance with the rules and regulations valid in the country, the manual provisions by the installer having required qualifications.</p> <p>I hereby declare that having read the operating manual and the guarantee conditions in case of failure to observe the provisions included there the producer bears no liability for guarantee.</p>	Date and legible signature of the Buyer;
---	--

**INSERT INSTALLER**

Name of the installer's company:	
Installer's address:	
Tel/fax:	
Date of commissioning:	
I hereby declare that the fireplace insert installed by my company meets the requirements of the operating manual is installed in compliance with the appropriate relative standards.	Installer's seal and signature;

**SUPPORT SERVICES**

--	--



**Kratki.pl Marek Bal** ul. Gombrowicza 4, Wsola, 26-660 Jedlińsk, Poland  
tel. 00 48 48 389 99 00, 00 48 48 384 44 88, fax 00 48 48 384 44 88 wew. 106

[www.kratki.com](http://www.kratki.com)

[www.facebook.com/kratkipl](https://www.facebook.com/kratkipl)

[www.youtube.com/kratkipl](https://www.youtube.com/kratkipl)

[www.instagram.com/kratkipl](https://www.instagram.com/kratkipl)

